



RED STAR

TM

RED STAR

WUHAN RED STAR AGRO-LIVESTOCK MACHINERY CO.,LTD.

[www.china-redstar.com](http://www.china-redstar.com)



Wuhan Red Star Agro-Livestock Machinery Co., Ltd., founded in 1990, has become a group corporation after 23 years. We provide complete pig and cow farm sets and the technical services. We are also distributing European and US high quality products.

Our products have been distributed to 23 provinces in China. A large number of our products have been exported to USA, Australia, Asia, Germany, Denmark, Spain, Switzerland, Britain and some other nations and areas. The total number of the countries and regions is up to 40.

We, the earliest company starting manufacturing ear tags for pigs, cows and sheep in China, have already registered the brand name of Red Star. We adopt the advantages of the livestock equipment from companies nationally and internationally, continuously introduce and develop new products to further improve the quality and set competitive prices as well. We are confident that with our high quality and reasonable prices we are the very reliable supplier that you can rely on. And we are sourcing and will source better materials for our clients.





## Content

AI Equipments	01
Nipple Drinkers	05
Drinking Bowls And Feeders	10
Electric Fences	14
Identifications	18
Teats	21
Vet Syringes And Needles	23
Drenching Cannulas	27
Horse Product	28
Pulley And Winch	32
Others	37

# AI Equipments



## RS-101 Foam Catheter For Gilt With Handle

### Description

- For pig artificial insemination use.
- Foam tip, injuries excluded, flexible. With handle.
- Customized length, color and foam tip shape are available.
- Individual packed. 500pcs per carton.



## RS-102 Foam Catheter For Gilt Without Handle

### Description

- For pig artificial insemination use.
- Foam tip, injuries excluded, flexible. Without handle.
- Customized length, color and foam tip shape are available.
- Individual packed. 500pcs per carton.



## RS-103 Foam Catheter For Sow With Handle

### Description


- For pig artificial insemination use.
- Foam tip, injuries excluded, flexible. With handle.
- Customized length, color and foam tip shape are available.
- Individual packed. 500pcs per carton.



## RS-104 Foam Catheter For Sow Without Handle

### Description

- For pig artificial insemination use.
- Foam tip, injuries excluded, flexible. Without handle.
- Customized length, color and foam tip shape are available.
- Individual packed. 500pcs per carton.



### RS-105 Spiral Catheter For Sow With Handle

#### Description

- For pig artificial insemination use.
- Spiral plastic tip, injuries excluded, flexible. With handle.
- Customized length and color are available.
- Individual packed. 500pcs per carton.



### RS-107 Semen Bag

#### Description

- Material PP.
- Capacity 100ml.
- Moisture proof and with holes to die cut.
- Packed in roll.



### RS-109 Semen Bottle

#### Description


- Material PE.
- Transparent bottle with colorful cap. Common colors are blue, green and red.
- Easy to screw on and features a twist-off top.
- Packed with single color or assorted colors.

RS1091 40ml semen bottle

RS1092 60ml semen bottle

RS1093 80ml semen bottle

RS1094 100ml semen bottle



### RS-106 Deep Uterine Catheter

#### Description


- Intra-uterine insemination catheter.
- Supporting the use of the foam tip and spiral catheter.
- To prevent semen reflux.



### RS-108 Semen Tube

#### Description

- Material PE.
- Capacity 80ml.
- Suitable for all kinds of catheter and insemination techniques.
- Different colors are available.



### RS-110 Semen Bag With Filterpaper

#### Description

- Material PP.
- Capacity 2L.
- Easy to tear when collecting semen.



### RS-111 Vinyl Examination Gloves

#### Description

- For all-round examination purposes.
- Non-sterile, non-spermicidal. Ambidextrous. Rolled cuff.
- Powdered or powder free.
- Transparent or blue.
- Size: S, M, L, XL.
- 100pcs per inner box.



### RS-112 Latex Gloves

#### Description

- High quality and smooth. Elastic and with high sensitivity.
- Non-sterile, non-spermicidal. Ambidextrous. Rolled cuff.
- Powdered or powder free.
- Milky white.
- Excellent flexibility and strength prevent infections by chemicals.
- Tear and abrasion resistant. Size: S, M, L.
- 100pcs per inner box.



### RS-113 Nitrile Gloves

#### Description

- Non-spermicidal. Strong and durable glove.
- Powder and latex free.
- Provides an excellent protection against the most common drugs and chemicals used in animal productoin.
- Different color are available.
- Size: S, M, L.
- 100pcs per inner box.



### RS-114 Disposable Examination Long Arm Gloves

#### Description

- 100% polyethylene
- Smooth, extremely strong and with ultra high sensitivity.
- For rectal exams, artificial insemination and obstetrics.
- 100pcs per inner box.



### RS-115 Soft Examination Gloves

#### Description

- Made from polyethylene.
- With neck strap. 50pcs/pack.
- An excellent glove at a reasonable price.
- 90cm long(from finger tip to neck opening).



### RS-116 Semen Filter Paper

#### Description


- 100% cotton material.
- Filtering paper function: filter boar.
- Make sure the semen pure and clean.
- Non-spermicidal, fast flow and excellent gel retention.



### RS-117 Disposable Plastic Boots

#### Description

- Clear plastic disposable over the shoe boots made to be worn once to avoid contamination between facilities.
- Easy to slip on and off.
- Come with elastic top.
- Heavy-duty. Non-sterile.



### RS-118 AI Clamp

#### Description

- Size in 390mm x 270mm x 25mm.
- Stabilize the Semen bottle and catheter.
- No semen reflux. Increase the pregnancy rate.



### RS-119 Disposable Protective Clothing

#### Description

- Material non-woven or PE.
- Attached hood and boot, elastic cuffs and ankles.
- Size: M, L, XL, XXL, XXXL.
- Color white and blue.
- Individual packaging. 50 pcs per carton.



### RS-120 Semen Storage Fridge 50L.

#### Description

- Integrated heating and cooling system.
- Powder AC220V.
- Volume 20L.
- Size 430mm X 480mm X 510mm.
- Temperature control 2-19 degree.

### RS-121 100L Size 480mm x 490mm x 840mm.

# Nipple Drinkers



## RS-201 1/2" Stainless Steel Nipple Drinker

### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Complete Stainless Steel body.
- Diameter 8mm pin. Weight 84g. Length 70mm.
- Adjustable plastic filter with stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



## RS-202 1/2" Stainless Steel Piglet Nipple Drinker

### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Complete Stainless Steel body.
- Diameter 5mm pin. Weight 61g. Length 65mm.
- Adjustable plastic filter with stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



## RS-203 1/2" Stainless Steel Nipple Drinker

### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Complete Stainless Steel body.
- Diameter 8mm pin. Weight 87g. Length 70mm.
- Adjustable plastic filter with stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-204 1/2" Stainless Steel Piglet Nipple Drinker

#### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Complete Stainless Steel body.
- Diameter 5mm pin. Weight 65g. Length 65mm.
- Adjustable plastic filter with stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-205 1/2" Stainless Steel Nipple Drinker

#### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Complete Stainless Steel body.
- Diameter 5mm pin. Weight 65g. Length 65mm.
- Adjustable plastic filter with stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-206 1/2" Stainless Steel Nipple Drinker

#### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Complete Stainless Steel body.
- Diameter 8mm pin. Weight 91g. Length 75mm.
- Adjustable plastic filter with stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-207 1/2" Stainless Steel Piglet Nipple Drinker

#### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Complete Stainless Steel body.
- Diameter 5mm pin. Weight 61g. Length 65mm.
- Adjustable plastic filter with stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-208 1/2" Stainless Steel Piglet Nipple Drinker

#### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Complete Stainless Steel body.
- Diameter 5mm pin. Weight 50g. Length 55mm.
- Adjustable plastic filter with stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-209 1/2" Nipple Drinker

#### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Complete Stainless Steel body. Bottom is brass for another option.
- Diameter 12mm pin. Weight 81g. Length 70mm.
- Adjustable plastic filter with stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-210 1/2" Nipple Drinker

#### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Complete Stainless Steel body.
- Diameter 17mm pin. Weight 89g. Length 55mm.
- Adjustable plastic filter with stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-211 1/2" Female Nipple Drinker

#### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Complete Stainless Steel body. Body is brass for another option.
- Diameter 8mm pin. Weight 83g. Length 75mm.
- With special plastic filter.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-212 Nipple Drinker

#### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Complete Stainless Steel body. Brass bottom.
- Weight 65g. Length 65mm.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-213 1/2" Ball Stainless Steel Drinker

#### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Complete Stainless Steel body.
- Weight 118g. Length 70mm.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-214 1/2" Female Nipple Drinker

#### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Complete Stainless Steel body.
- Diameter 8mm pin. Weight 109g. Length 80mm.
- With special plastic filter.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-215 1/2" Nipple Drinker

#### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- With Diameter 12mm pin.
- Adjustable plastic filter with stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-216 1/2" Nipple Drinker

#### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Brass bottom.
- Adjustable plastic filter with stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-217 Stainless Steel Antifreeze Valve

#### Description

- Complete Stainless Steel body. Brass is for choice.
- Cut by CNC machine.
- NBR 90 O-ring is permanent and protect leaking.



### RS-218 1/2" Ball Nipple Drinker

#### Description

- Material stainless steel.
- Cleanliness and sanitation water conservation.
- With ball bite.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-219 1/2" Ball Nipple Drinker

#### Description

- Material stainless steel.
- Cleanness and sanitation water conservation.
- With ball bite.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-220 Ball Type Nipple Drinker

#### Description

- G-3/4" thread (European pipe thread) or NPT-3/4" (American pipe thread) is favorable.
- Brass bottom and stainless steel pipe is connected by the thread and thread glue.
- With ball bite.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-221 1/2" Nipple Drinker

#### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Material : Stainless Steel Diameter 9mm pin. Weight:94 g. Length 73 mm.
- Adjustable plastic filter with stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-222 1/2" Nipple Drinker

#### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Material : Stainless Steel Diameter 8 mm pin. Weight :94.3g. length 71 mm.
- Adjustable plastic filter with stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-223 1/2" Nipple Drinker

#### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Material : Stainless Steel Diameter 8 mm pin. Weight:139.4 g. length 92mm.
- Adjustable plastic filter with stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-224 3/4" Nipple Drinker

#### Description

- G-3/4" thread (European pipe thread) or NPT-3/4" (American pipe thread) is favorable.
- Stainless steel bottom and pipe is connected by the thread and thread glue.
- Diameter 8 mm pin. Weight:164.8 g. Length 90 mm.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.



### RS-225 3/4" Nipple Drinker

#### Description

- G-3/4" thread (European pipe thread) or NPT-3/4" (American pipe thread) is favorable.
- Stainless steel bottom and pipe is connected by the thread and thread glue.
- Diameter 8 mm pin. Weight:71.8 g. Length 67 mm.
- NBR 90 O-ring is permanent and protect leaking.
- Laser printing logo is available.

## Drinking Bowls And Feeders



### RS-301 Stainless Steel Feeding Pan

#### Description

- Feeding pan for the piglet.
- Material stainless steel 304.
- Push and turn bottom for any slotted flooring.
- Can be used for drink or feed.

RS-3011 Diameter 23cm X 12cm

RS-3012 Diameter 30cm X 4cm



### RS-302 Plastic Feeding Pan

#### Description

- Feeding pan for the piglet.
- Material plastic.
- Push and turn bottom for any slotted flooring.
- Can be used for drink or feed.

RS-3021 Diameter 25.2cm.

RS-3022 Diameter 32cm.



### RS-303 Plastic Trough

#### Description


- Material plastic and stainless steel edging.
- Stable. Anti-corrosion.
- Light weight, long life.
- Size 45cm x 36cm x 21cm.



### RS-304 Sow Trough

#### Description

- Made of stainless steel.
- Place in Farrowing crate.
- Long life, anti-corrosion.
- Size 40cm x 35cm x 35cm.



### RS-305 Sow Trough

#### Description

- Made of stainless steel.
- Place in Farrowing crate.
- Long life, anti-corrosion.
- Size 55cm x 45cm x 35cm.



### RS-306 Stainless Steel Drinking Bowl

#### Description

- Material stainless steel 304.
- Stainless steel pipe with 1/2" connection.
- No water waste.

RS-3061 Small size 15×21×9cm

RS-3062 Medium size 19×27×11cm

RS-3063 Large size 21×29×16cm



### RS-307 Round Type Stainless Steel Drinking Bowl

#### Description

- Material stainless steel 304.
- Stainless steel pip with 1/2" connection.
- G 1/2" thread(European thread), NPT 1/2" thread (American thread) is available.
- Smooth edge protect animal cutting.

RS-3071 Small size D12.5×14cm

RS-3072 Medium size D15×27cm

RS-3073 Large size D17.5×20cm

RS-3074 Extra size D21.5×24cm



### RS-308 Small Drinking Bowl

#### Description

- Material plastic.
- Equipped with 1/2" brass nipple and valve system.
- The nose paddle is easily activated by small animals.
- Ideal for sheep, goats, calves and dogs.



### RS-309 Bowl Waterer

#### Description

- Working for animal drinking .
- When the animal's mouth Touch the aluminum tongue , the water is coming .
- Keeps water clean for a long time to prevent disease Material Aluminum.
- Dimension :33×17×24cm weight :1.8kg/pieces

**RS-310 Stainless Steel Float Water Bowl****Description**

- With hinged lid easy for maintenance.
- A feature of this bowl is the sloping to the front bottom.
- Any debris forward for easy cleaning.
- Nylon float systems assembly. No drain incorporated.
- Dimensions 26cm x 26cm x 11cm. Capacity 2.5L.

**RS-311 Plastic Drinking Bowl With Buoyage****Description**

- With hinged lid easy for maintenance.
- Regulate the water flow through the float ball adjuster for the correct level.
- Material PP+nylon
- Dimension: 28x27x14cm ,package 10 pieces in 1 carton

**RS-312 Cast Iron Drinking Bowl****Description**

- Material cast iron.
- Smooth finishing, round edge. Enamelled coating.
- Flip paddle safety and suitable for animal.
- Capacity 2L.
- Individual packaging, each piece with one inner box.

**RS-313 Cast Iron Drinking Bowl****Description**

- Provide safe and comfortable environment for the animals drinking.
- Made of heavy cast iron , brass reinforced valve parts and Stainless steel nose paddle.
- Smooth finishing, round edge. Enamelled coating.
- Dimension :26.5 x 20.5 x 17 cm ,weight :3.5 kg/pieces .
- Individual packaging, each piece with one inner box.

**RS-314 Cast Iron Drinking Bowl****Description**

- Provide safe and comfortable environment for the animals drinking.
- Made of heavy cast iron , brass reinforced valve parts and Stainless steel nose paddle.
- Smooth finishing, round edge. Enamelled coating.
- Dimension :26.5 x 20.5 x 17 cm ,weight :3.5 kg/pieces .
- Individual packaging, each piece with one inner box.



# Electric Fences



## RS-401 Ring-Shaped Insulator

### Description

- Insulator moulded on hook for wire,cable with wood screw thread.
- Made from UV resistant, polyethylene plastic for strength and long life.
- Self-screw with zinc plated, easy for entry.
- Thread diameter X long:  $\varnothing 36 \times 86\text{mm}$  , Screw:5.3mm.
- Weight :21.2 g . Packing 500 pic/ctn.
- Color : black ,yellow,orange.

## RS-402 Quality Ring Insulator

### Description

- For attaching rope products to wood posts and trees.
- High quality plastic and metric thread M6.
- Large leakage rings , Shaft Diameter 6mm.
- Thread diameter X long :  $\varnothing 35 \times 90\text{mm}$  ,Screw:5.2mm.
- Weight:20.9g , packing 500pcs/ctn.



## RS-403 Gate Handle Insulator

### Description

- Fully insulated electric fence spring gate handle.
- Material :Stainless Steel + plastic.
- Thread diameter X long :  $\varnothing 91 \times 86\text{mm}$  .
- Screw:5.9mm Style: 2 eyelets .
- Weight :53.3g, 250 pieces in 1 carton.



### RS-404 Wood Screw Insulator

#### Description

- For attaching rope products to wood posts and trees.
- High quality plastic and metric thread M6.
- Large leakage rings, insulator with metal.
- Thread diameter X long : Ø 88X46mm ,Screw:5.6mm.
- Weight:21.9g , packing 500pcs/ctn



### RS-405 Corner Insulator

#### Description

- Made from materials that do not conduct electricity, most commonly plastic or ceramic.
- Doughnut type with metric thread M8 .
- Redirection of poly wires at corners
- Weight:20.9g , packing 500pcs/ctn



### RS-406 Ring-Shaped Insulator

#### Description

- For attaching rope products to wood posts and trees
- Made from UV resistant, polyethylene plastic for strength and long life.
- Thread diameter X long : Ø 91 X110mm , Screw:5.9MM
- Packing 500pieces in 1 carton



### RS-407 Ring-Shaped Insulator

#### Description

- For attaching rope products to wood posts and trees
- Fastening with a metric Pin and high quality plastic
- Metric thread M6.
- Weight:34.8g , packing 300/500pcs/ctn



### RS-408 Ring-Shaped Insulator

#### Description

- For attaching rope products to wood posts and trees
- Fastening with a metric Pin and high quality plastic
- Thread diameter X long : Ø 66 X40mm ,
- Weight:17.2g , packing 300/500pcs/ctn



### RS-409 Gate Handle

#### Description

- Working with high tensile wire polywire or a replacement handle for patriot spring gate in permanent and temporary fence.
- Hight insulating handle and extended spring unbreakable shell.
- Thread diameter X long : Ø 58 X 220mm.
- Weight : 127g ,100 packing 100pcs/ctn.



### RS-410 Gate Handle

#### Description

- Working with high tensile wire polywire or a replacement handle for patriot spring gate in permanent and temporary fence.
- Hight insulating handle and extended spring unbreakable shell.
- Thread diameter X long : Ø 58 X 220mm.
- Weight: 130g , packing 100pcs/ctn.



### RS-411 Gate Handle

#### Description

- Working with high tensile wire polywire or a replacement handle for patriot spring gate in permanent and temporary fence.
- Hight insulating handle and extended spring unbreakable shell.
- Thread diameter X long : Ø 58 X 220mm.
- Weight :129g ,100 packing 500pcs/ctn.



### RS-412 Gate Handle

#### Description

- Working with high tensile wire polywire or a replacement handle for patriot spring gate in permanent and temporary fence.
- Hight insulating handle and extended spring unbreakable shell.
- Thread diameter X long : Ø 58 X 280mm.
- Weight :231.4g ,100 packing 100pcs/ctn.



### RS-413 Gate Handle

#### Description

- Working with high tensile wire polywire or a replacement handle for patriot spring gate in permanent and temporary fence.
- Hight insulating handle and extended spring unbreakable shell.
- Thread diameter X long : Ø 58 X 220mm.
- Weight :142.5g ,100 packing 100pcs/ctn.



### RS-414 Offset Ring Shaped Insulator

#### Description

- Prevents the possibility of the conductor escaping from the insulator.
- It's made of nylon with UV additive.
- With long shaft 20.2 cm, length of shaft 20.2 cm for tapes up to 20 cm and rope.
- Thread diameter X long : Ø 40×260mm Weight :57.6g , packing 300pcs/ctn.



### RS-415 Ring Insulator

#### Description

- Prevents the possibility of the conductor escaping from the insulator
- It's made of nylon with UV additive.
- Shaft Diameter:8mm .With long shaft 22 cm, length of shaft 22cm for poly wires.
- Thread diameterX long : Ø 36×235×66mm Weight :64.1g , packing 300pcs/ctn.



### RS-416 Offset Ring Shaped Insulator

#### Description

- Prevents the possibility of the conductor escaping from the insulator.
- It's made of nylon with UV additive.
- With long shaft 22cm, length of shaft 22cm for tapes up to 20 cm and rope.
- Thread diameter X long : Ø 36×270mm.
- Weight :51.2g , packing 500pcs/ctn.



### RS-417 Gate Handle

#### Description

- Ideal for temporary Electric fencing.
- High insulating handle and extended spring unbreakable shell.
- Handle with 5m spring .
- Thread diameter X long : Ø 68×755mm.
- Weight :.430g ,packing 40 pcs/ctn.



### RS-418 Galvanized Spring

#### Description

- High quality parts of the Electric Fences.
- Length :5mm.
- Thread diameter X long : Ø 49×318mm.
- Weight :.449g ,packing 40 pcs/ct.


# Identifications



## RS-501 Animal Marking Twist Stick Small

### Description

- Designed for easy and efficient animal marking. With twist cap.
- Highly visible, long lasting and weather and fade resistant.
- Will mark wet or dry animals.
- Non-toxic.
- Four common colors: Red, Blue, Green, Black. The other colors also available.
- Customized label design.



## RS-502 Animal Marking Twist Stick Big

### Description

- Designed for easy and efficient animal marking.
- Highly visible, long lasting and weather and fade resistant.
- Will mark wet or dry animals.
- Non-toxic.
- Four common colors: Red, Blue, Green, Black. The other colors also available.
- Customized label design.



## RS-503 Livestock Marker

### Description

- Highly visible, long lasting and weather and fade resistant.
- Will mark wet or dry animals.
- Non-toxic.
- Four common colors: Red, Blue, Green, Black. The other colors also available.
- Marker in sturdy push-up style dispenser.
- Customized label design.



## RS-504 Ram Crayon

### Description

- Insert sheep marking crayon into ewe harness with the cotter pin located Under the label.
- Fasten harness to ram in order to indentify which ewes have been served.
- Use different colors on different rams.
- Designed for varying climates.
- Customized label design.


**RS-505 Marking Spray**
**Description**

- Designed to make a long-lasting, highly visible mark on animal.
- Extremely fast drying, resists fading.
- Different colors are available.
- Customized label design.


**RS-507 Ear Notching Plier**
**Description**

- Stainless steel.
- For quick, clean cut animal identification ear marking.
- Pocket size.
- V and U shapes are available.


**RS-509 Piglet Tooth Cutter**
**Description**

- Made of hard alloy steel with spring sheet.
- Length of tooth cutter 14cm.
- Individual packaging.


**RS-506 Ear Tag Applicator**
**Description**

- The deep jaw of this applicator makes proper tag placement easier.
- Grip helps to ease hand fatigue.
- Comes with two black inserts to accommodate different styles of ear tags.


**RS-508 Electric Tail Cutter**
**Description**

- Electric amputation of tail. Sterilization hemostatic.
- Prevent the infection.
- Easy to operate.


**RS-510 Tattooers**
**Description**

- Three types.
- Precision made of special aluminum alloy by skilled craftsmen.
- Scratching or blurring the tattoo mark.
- With two sets numbers 0-9 and one set digits.

RS-5101 Small Tattoo Outfit

RS-5102 Stand Tattoo Outfit

RS-5103 Revolving Tattoo Outfit



### RS-511 Plastic Ear Tag For Cow

#### Description

- Used for animal identification
- Material :PP
- Size :114×74mm
- Package : 100pieces /bag , 20 bags in 1 carton.
- Laser printing number / letters or blank is accepted.

### RS-512 Plastic Ear Tag For Cow

#### Description

- Used for animal identification
- Material :PP
- Size :92×70mm
- Package : 100pieces /bag , 20 bags in 1 carton.
- Laser printing number / letters or blank is accepted.

### RS-513 Plastic Ear Tag For Cattle

#### Description

- Used for animal identification
- Material :PP
- Size :78×58 mm
- Package : 100pieces /bag , 20 bags in 1 carton.
- Laser printing number / letters or blank is accepted.

### RS-514 Plastic Ear Tag For Pig

#### Description

- Used for animal identification
- Material :PP
- Size :52×42mm
- Package : 100pieces /bag , 20 bags in 1 carton.
- Laser printing number / letters or blank is accepted.

### RS-515 Plastic Ear Tag For Pig

#### Description

- Used for animal identification
- Material :PP
- Size :52×42mm
- Package : 100pieces /bag , 20 bags in 1 carton.
- Laser printing number / letters or blank is accepted.

# Teats



## RS-601 PU Feeding Nipple

### Description

- Very soft high flexibility, working with calf suckle bottle for feeding supplement.
- Leading materials:PU
- Feeding nipples for animal
- Diameter :30mm High: 58mm



## RS-602 Rubber Feeding Nipple

### Description

- Very soft high flexibility, working with calf suckle bottle for feeding supplement.
- Leading materials:Nuture rubber
- Feeding nipples for animal
- Usage for Sheep, cows, horses, pigs

RS-6021 Diameter :35mm, High: 50mm

RS-6022 Diameter :25mm, High: 70mm

RS-6023 Diameter :50mm, High: 90mm

RS-6024 Diameter 50mm, High: 102mm

RS-6025 Diameter :35mm, High: 100mm



## RS-603 Rubber Feeding Nipple

### Description

- Very soft high flexibility, working with calf suckle bottle for feeding supplement.
- Leading materials:Nuture rubber
- Usage for Calves
- Diameter:28mm , High:88mm



### RS-604 Feeding Nipple

#### Description

- Very soft high flexibility, working with calf suckle bottle for feeding supplement.
- Usage for Sheep.

RS-6041 Diameter:12mm , High:67mm

RS-6042 Diameter:25mm , High:135mm



### RS-605 Prue Latex Nipple

#### Description

- Very soft high flexibility, working with calf suckle bottle for feeding supplement.
- Leading materials: Latex.
- Usage for Sheep.

RS-6051 Diameter: 13mm , High: 60mm

RS-6052 Diameter: 18mm , High: 70mm

RS-6053 Diameter: 12mm , High:78mm



### RS-606 Plastic Milk-Bottle/Pot

#### Description

- Suitable for calf in nursery.
- Made of nontoxic plastic material and natural rubber.
- Convenient feeding and easy clean.
- OEM available.
- Size : 2L



### RS-607 Feeding milk bottle

#### Description

- The parts of animal husbandry apparatus.
- Dallas sucking milk bottle with nipple into 45-degree.
- It is good sucking milk by young sheep and calf.
- OEM available.
- Size : 2L .

### RS-608 Teat Dip Cup

#### Description

- Disinfect the nipple of milking cows, pre-dipping and post-dipping of teats at milking time to reduce mastitis infections .
- Material: food grade plastic.
- Different color to meeting request.
- Sticker Logo is available.

# Vet Syringes And Needles



## RS-701 Veterinary Injection Needle

### Description

- These needles are used for syringes instruments
- Material for needle:stainless steel.
- Surface treatment:finished by chromium /nickel plating
- Stamp mark on the Hubs and easy to identify the gauge size of the needles
- High of the HUBS: 11mm, 14mm, 18mm, 20mm

Item No	Needles Gauge and Length		Box/Case/Carton
	D×L (G×inch)	D×L (mm×mm)	
RS-701-14-58	14G×5/8"	2.0×15	12/144/7200
RS-701-14-34	14G×3/4"	2.0×20	12/144/7200
RS-701-14-1	14G×1"	2.0×25	12/144/7200
RS-701-14-112	14G×1 1/2"	2.0×40	12/144/7200
RS-701-14-2	14G×2"	2.0×50	12/144/7200
RS-701-15-58	15G×5/8"	1.8×15	12/144/7200
RS-701-15-34	15G×3/4"	1.8×20	12/144/7200
RS-701-15-1	15G×1"	1.8×25	12/144/7200
RS-701-15-112	15G×1 1/2"	1.8×40	12/144/7200
RS-701-15-2	15G×2"	1.8×50	12/144/7200
RS-701-16-58	16G×5/8"	1.6×15	12/144/7200
RS-701-16-34	16G×3/4"	1.6×20	12/144/7200
RS-701-16-1	16G×1"	1.6×25	12/144/7200
RS-701-16-112	16G×1 1/2"	1.6×40	12/144/7200
RS-701-16-2	16G×2"	1.6×50	12/144/7200
RS-701-17-58	17G×5/8"	1.4×15	12/144/7200
RS-701-17-34	17G×3/4"	1.4×20	12/144/7200
RS-701-17-1	17G×1"	1.4×25	12/144/7200
RS-701-17-112	17G×1 1/2"	1.4×40	12/144/7200
RS-701-17-2	17G×2"	1.4×50	12/144/7200
RS-701-18-12	18G×1/2"	1.2×13	12/144/7200
RS-701-18-58	18G×5/8"	1.2×15	12/144/7200
RS-701-18-34	18G×3/4"	1.2×20	12/144/7200
RS-701-18-1	18G×1"	1.2×25	12/144/7200
RS-701-18-112	18G×1 1/2"	1.2×40	12/144/7200
RS-701-20-1	20G×1"	0.9×25	12/144/7200
RS-701-20-112	20G×1 1/2"	0.9×40	12/144/7200
RS-701-22-12	22G×1/2"	0.7×13	12/144/7200
RS-701-22-38	22G×3/8"	0.7×15	12/144/7200
RS-701-22-34	22G×3/4"	0.7×20	12/144/7200



### RS -702 Teat cannula

#### Description

- Used for the animal inject
- Material :Brass bottom and stainless steel pipe
- Surface treatment:finished by chromium plating
- Size : 60/80mm  
 80/100mm  
 100/120mm



### RS-703 Veterinary Injection Needle

#### Description

- These needles are used for syringes instruments
- Material for needle:Aluminum
- Surface treatment:finished by chromium plating
- Stamp mark on the Hubs and easy to identify the gauge size of the needles
- The color of plastic tube : gree, pink,orange and Silver grey

Item No	Needles Gauge and Length		Box/Case/Carton
	D×L (G×inch)	D×L (mm×mm)	
RS-703-14-58	14G×5/8"	2.0×15	100/1000/4000
RS-703-14-34	14G×3/4"	2.0×20	100/1000/4000
RS-703-14-1	14G×1"	2.0×25	100/1000/4000
RS-703-14-112	14G×1 1/2"	2.0×40	100/1000/4000
RS-703-14-2	14G×2"	2.0×50	100/1000/4000
RS-703-16-58	16G×5/8"	1.6×15	100/1000/4000
RS-703-16-34	16G×3/4"	1.6×20	100/1000/4000
RS-703-16-1	16G×1"	1.6×25	100/1000/4000
RS-703-16-112	16G×1 1/2"	1.6×40	100/1000/4000
RS-703-16-2	16G×2"	1.6×50	100/1000/4000
RS-703-18-12	18G×1/2"	1.2×13	100/1000/4000
RS-703-18-58	18G×5/8"	1.2×15	100/1000/4000
RS-703-18-34	18G×3/4"	1.2×20	100/1000/4000
RS-703-18-1	18G×1"	1.2×25	100/1000/4000
RS-703-18-112	18G×1 1/2"	1.2×40	100/1000/4000
RS-703-20-1	20G×1"	0.9×25	100/1000/4000
RS-703-20-112	20G×1 1/2"	0.9×40	100/1000/4000
RS-703-22-12	22G×1/2"	0.7×13	100/1000/4000
RS-703-22-38	22G×3/8"	0.7×15	100/1000/4000
RS-703-22-34	22G×3/4"	0.7×20	100/1000/4000



### RS-704 Veterinary Injection Needle

#### Description

- These needles are used for syringes instruments
- Material for needle:stainless steel.
- Surface treatment:finished by chromium plating
- Stamp mark on the Hubs and easy to identify the gauge size of the needles
- Diameter of the HUBS :6mm,8mm or 9mm

Item No.	Needles Gauge and Length		Box/Case/Carton
	D×L (G×inch)	D×L (mm×mm)	
RS-704-14-58	14G×5/8"	2.0×15	12/144/7200
RS-704-14-34	14G×3/4"	2.0×20	12/144/7200
RS-704-14-1	14G×1"	2.0×25	12/144/7200
RS-704-14-112	14G×1 1/2"	2.0×40	12/144/7200
RS-704-14-2	14G×2"	2.0×50	12/144/7200
RS-704-15-58	15G×5/8"	1.8×15	12/144/7200
RS-704-15-34	15G×3/4"	1.8×20	12/144/7200
RS-704-15-1	15G×1"	1.8×25	12/144/7200
RS-704-15-112	15G×1 1/2"	1.8×40	12/144/7200
RS-704-15-2	15G×2"	1.8×50	12/144/7200
RS-704-16-58	16G×5/8"	1.6×15	12/144/7200
RS-704-16-34	16G×3/4"	1.6×20	12/144/7200
RS-704-16-1	16G×1"	1.6×25	12/144/7200
RS-704-16-112	16G×1 1/2"	1.6×40	12/144/7200
RS-704-16-2	16G×2"	1.6×50	12/144/7200
RS-704-17-58	17G×5/8"	1.4×15	12/144/7200
RS-704-17-34	17G×3/4"	1.4×20	12/144/7200
RS-704-17-1	17G×1"	1.4×25	12/144/7200
RS-704-17-112	17G×1 1/2"	1.4×40	12/144/7200
RS-704-17-2	17G×2"	1.4×50	12/144/7200
RS-704-18-12	18G×1/2"	1.2×13	12/144/7200
RS-704-18-58	18G×5/8"	1.2×15	12/144/7200
RS-704-18-34	18G×3/4"	1.2×20	12/144/7200
RS-704-18-1	18G×1"	1.2×25	12/144/7200
RS-704-18-112	18G×1 1/2"	1.2×40	12/144/7200
RS-704-20-1	20G×1"	0.9×25	12/144/7200
RS-704-20-112	20G×1 1/2"	0.9×40	12/144/7200
RS-704-22-12	22G×1/2"	0.7×13	12/144/7200
RS-704-22-38	22G×3/8"	0.7×15	12/144/7200
RS-704-22-34	22G×3/4"	0.7×20	12/144/7200



### RS-705 Plastic Steel Syringes With Dose Nut

#### Description

- Durable syringes with dose nut.
- Ergonomic design.
- Reusable.
- High quality plastic( PC or TPX ) with UV additive.
- Sterilized by boiled water.

RS7051 10ml	RS7061 10ml w/o dose nut.
RS7052 20ml	RS7062 20ml w/o dose nut.
RS7053 30ml	RS7063 30ml w/o dose nut.
RS7054 50ml	RS7064 50ml w/o dose nut.



### RS -707 Veterinary Continuous Injector

#### Description

- Suitable for the inoculation of livestock
- Material:Stainless-steel and Plastic
- Volume:1ml(0.1-2ml)  
2ml(0.2-2ml)
- Styles: Adjustable
- Robust and accurate design, easy to clean and maintain
- Fixed settings for ease and speed of use



### RS -708 Veterinary Continuous Injector

#### Description

- Suitable for the inoculation of livestock.
- Material:Stainless-steel and Plastic.
- Volume:2ml(0.2-2ml)
- Styles: Adjustable.
- Robust and accurate design, easy to clean and maintain.
- Fixed settings for ease and speed of use.



### RS -709 Veterinary Continuous Injector

#### Description

- Suitable for the inoculation of livestock.
- Material:Stainless-steel and Plastic.
- Volume: 20ml(1-5ml)  
30ml(1-5ml)  
50ml(1-5ml)
- Styles: Adjustable.
- Robust and accurate design, easy to clean and maintain.
- Fixed settings for ease and speed of use.



### RS -710 Veterinary Continuous Injector

#### Description

- Suitable for the inoculation of livestock
- Material:Stainless-steel and Plastic
- Volume:5ml
- Styles: Adjustable
- Robust and accurate design, easy to clean and maintain.
- Fixed settings for ease and speed of use



### RS -709 Veterinary Continuous Injector

#### Description

- Suitable for the inoculation of livestock.
- Material:Stainless-steel and Plastic.
- Volume:2ml
- Styles: Adjustable.
- Robust and accurate design, easy to clean and maintain.
- Fixed settings for ease and speed of use.

# Drenching Cannulas



**RS-801 110 × Ø6mm Drenching Cannula**

**Description**

- Used for the animal treatment
- Material is Brass
- Each piece with one special nut
- Surface :chrome plated



**RS-802 100 × Ø5mm Drenching Cannula**

**Description**

- Used for the animal treatment
- Material is Brass
- Surface :chrome plated



**RS-803 170 × Ø5mm Drenching Cannula**

**Description**

- Used for the animal treatment
- Material is Brass
- Surface :chrome plated



**RS-804 100 × Ø5mm Drenching Cannula**

**Description**

- Used for the animal treatment
- Material is Brass
- Surface :chrome plated



### RS-805 100 × Ø4mm Drenching Cannula

#### Description

- Used for the animal treatment
- Material is Brass
- Surface :chrome plated



### RS-806 100 × Ø3mm Drenching Cannula

#### Description

- Used for the animal treatment
- Material is Brass Each piece with one special nut
- Surface :chrome plated



### RS-807 95 × Ø4mm Drenching Cannula

#### Description

- Used for the animal treatment
- Material is Brass Each piece with one special nut
- Surface : without any plating



### RS-808 110 × Ø8mm Drenching Cannula

#### Description

- Used for the animal treatment
- Material is Brass Each piece with one special nut
- Surface :chrome plated



### RS-809 200 × Ø8mm Drenching Cannula

#### Description

- Used for the animal treatment
- Material is Brass
- Each piece with one special nut
- Surface :chrome plated



### RS-810 170 × Ø15mm Drenching Cannula

#### Description

- Used for the animal treatment
- Material is Brass
- Each piece with one special nut
- Surface : without any plating

**RS-811 180 × Ø6mm Drenching Cannula****Description**

- Used for the animal treatment
- Material is Brass
- Each piece with one special nut
- Surface : without any plating

**RS-812 100 × Ø6mm Drenching Cannula****Description**

- Used for the animal treatment
- Material is Brass
- Each piece with one special nut
- Surface : without any plating

# Horse Product

**RS -901 Feeding Scoop****Description**

- Provide a easy way to put the feed into the trough.
- Material :PP/PE
- Diameter:21cm
- Capacity:1.5 Qt ( QT=0.95L)
- Color is optional , Customer' s color is available .

**RS-902 Feeding Scoop****Description**

- Provide a easy way to put the feed into the trough.
- Material :PP/PE
- Size:21.5×15.2×15.2cm
- Capacity: 2.5 Qt ( QT=0.95L)
- Color is optional , Customer' s color is available .



### RS-903 Feeding Scoop

#### Description

- Provide a easy way to put the feed into the trough.
- Material :PP/PE
- Size: 33×15×8.5cm
- Capacity: 1.5 Qt ( QT=0.95L)
- Color is optional , Customer' s color is available .



### RS-904 Aluminum Ice Scoop With Flat Bottom

#### Description

- Made of aluminum.
- Bottom is flat.
- Serve for ice and dry food.



### RS-905 Aluminum Ice Scoop

#### Description

- Made of aluminum.
- Bottom is round.
- Serve for ice and dry food.



### RS-906 Curry Comb

#### Description

- Used for Horse cleaning
- Material:pvc /rubber
- Size : 12×8.5cm ( small )  
14.5×12cm ( large )
- Color is optional ,Customer' s color is available



### RS-907 Curry Comb

#### Description

- Used to remove mud and loose dirt from horse coat
- Material:iron
- Size:6.5" X 4"
- OEM available

**RS-908 Reversible Curry Comb****Description**

- Used for horse cleaning
- Material:PP+Stainless iron
- S/S ring: 4/5/ 6 loops

**RS-909****Description**

- Steel Curry Comb
- Material:metal
- Size:24 x 11.5cm
- Surface : Galvanized or coating

**RS-910 Pitch Fork Head****Description**

- Easy to use for cleaning your horse stalls or the trailers effortlessly
- Material:ABS
- Size:40cm x 33cm
- Color is optional ,Customer' s color is available


**RS-911 Pitch Fork Head****Description**

- Easy to use for cleaning your horse stalls or the trailers effortlessly
- Material:ABS
- Size :29.2cm x 33cm ( small )  
35cm x 29cm (medium)  
39cm x 33cm (large )
- Color is optional ,Customer' s color is available.

**RS-912 Pitch Fork Head With Handle****Description**

- Easy to use for cleaning your horse stalls or the trailers effortlessly
- Material:ABS + Steel
- Handles size : 120cm
- Used for all size of our pitch fork head.

# Pulley And Winch



## RS-1001 3 1/2" Nylon Pulley

### Description

- Steel cable pulley for up and down regulating system.
- The ideal steel and plastic pulley for both feeding and drinking system.
- Wear-resistant.
- Different colors are available.

## RS-1002 3 1/2" Cast Iron Pulley

### Description

- Easy to operate and maintain. Easy to be connected with other lifting tools.
- High-quality material and advanced technology.
- Wear-resistant.
- Different colors are available.

## RS-1003 3 1/2" Cast Iron Pulley With Eye-Bolt

### Description

- Includes 3/8" x 6" eye bolt with 2 nuts and 2 washers.
- Heavy-duty zinc plated strap and bolts.
- Use as master pulleys on curtain, feeder and drinker lines.
- Different colors are available.

**RS-1004 3 1/2" Glass-Filled Nylon Pulley****Description**

- Easily mounted, it uses an eye bolt or eye screw.
- Extremely wear-resistant.
- For winching automatic feeders and drinkers.
- Different colors are available.

**RS-1005 1 7/8" Nylon Pulley****Description**

- Heavy-duty zinc plated steel straps.
- Composite wheels will not corrode.
- Ideal for hanging feeders, curtains and other equipment in poultry and livestock buildings.
- Different colors are available.

**RS-1006 1 1/2" Nylon Pulley With Splint****Description**

- A smooth, quiet nylon pulley that has a swivel eye.
- Composite wheels will not corrode.
- Self-lubricating.
- For winching automatic feeders and drinkers.
- Different colors are available.

**RS-1007 7/8" Nylon Sheave****Description**

- Galvanized steel housing.
- For lighter loads.
- For winching curtains, drinkers and air inlets.
- Different colors are available.

**RS-1008 3 1/2" Plastic Pulley With Bearing****Description**

- Composite wheels will not corrode.
- Self-lubricating.
- For winching automatic feeders and drinkers.
- Different colors are available.



### RS-1009 1 1/2" Nylon Swivel Pulley

#### Description

- Zinc plated steel housing.
- Composite wheels will not corrode.
- Self-lubricating.
- For winching automatic feeders and drinkers.
- Different colors are available.



### RS-1010 Steel Pulley

#### Description

- Size 105mm
- Easy to operate and maintain. Easy to be connected with other lifting tools.
- High-quality material and advanced technology.
- Wear-resistant.
- Different colors are available.



### RS-1011 2 1/2" Split Steel Pulley

#### Description

- Heavy-duty zinc plated steel straps.
- 3/8" mounting hole.
- Used with cable up to 3/16.
- Used for winching feeder lines, nests and other livestock Equipments.



### RS-1012 1 1/2" Steel Pulley

#### Description

- Heavy-duty zinc plated steel straps.
- Used for winching feeder lines, nests and other livestock equipmtngs.



### RS-1013 2 1/2" Steel Pulley With Bracket

#### Description

- Heavy-duty 2.5mm zinc plated bracket.
- Self-lubricating roller bearing.
- Use with cable up to 3/16" .
- For through wall or end wall applications

**RS-1014 3 1/2" Cast Iron Sheave****Description**

- Heavy-duty 12 gauge zinc plated bracket.
- Deep groove.
- Grease zerk for easy lubrication.
- 3/8" mounting holes.
- For through wall or end wall applications.

**RS-1015 3 1/2" Bracket Pulley****Description**

- Heavy-duty 2.5mm zinc plated bracket.
- Self-lubricating roller bearing.
- Use with cable up to 3/16".
- 3/8" mounting holes.
- For through wall or end wall applications.

**RS-1016 2 1/2" Bracket Pulley****Description**

- Heavy-duty 2.5mm zinc plated bracket.
- Self-lubricating roller bearing.
- Use with cable up to 3/16".
- 3/8" mounting holes.
- For through wall or end wall applications.

**RS-1017 Winch****Description**

- Capacity: 1200Lbs.
- Gear ratio: 4.1 : 1.
- Hub Dia.: Ø 32mm.
- Size: 183mm × 270mm × 150mm.
- Net weight: 3.3kg.
- Cast worm with heat-treated gear make the mechanism unique reliable and durable smooth drive.
- Oil-retaining bushings or bearing for smooth drive.
- Durable surface finish. Power-coated surface plus zinc-plating for longer corrosion resistance.

**RS-1018 Winch****Description**

- Capacity: 1500Lbs.
- Gear ratio: 41 : 1.
- Hub Dia.: Ø 51mm.
- Size: 185mm × 150mm × 192mm.
- Net weight: 5kg. Cast worm with heat-treated gear make the mechanism unique reliable and durable smooth drive.
- Oil-retaining bushings or bearing for smooth drive.
- Durable surface finish. Power-coated surface plus zinc-plating for longer corrosion resistance.



### RS-1019 Winch

#### Description

- Capacity: 1500Lbs.
- Gear ratio: 41 : 1.
- Hub Dia.: Ø 51mm.
- Size: 260mm x 150mm x 180mm.
- Net weight: 6.15kg.
- Cast worm with heat-treated gear make the mechanism unique reliable and durable smooth drive.
- Oil-retaining bushings or bearing for smooth drive.
- Durable surface finish. Power-coated surface plus zinc-plating for longer corrosion resistance.



### RS-1020 Winch

#### Description

- Capacity: 2000Lbs.
- Gear ratio: 49 : 1.
- Hub Dia.: Ø 51mm.
- Size: 210mm x 160mm x 260mm.
- Net weight: 10.7kg.
- Cast worm with heat-treated gear make the mechanism unique reliable and durable smooth drive.
- Oil-retaining bushings or bearing for smooth drive.
- Durable surface finish. Power-coated surface plus zinc-plating for longer corrosion resistance.



### RS-1021 Winch

#### Description

- Capacity: 3000Lbs.
- Gear ratio: 41 : 1.
- Hub Dia.: Ø 92mm.
- Size: 330mm x 200mm x 220mm.
- Net weight: 17kg.
- Cast worm with heat-treated gear make the mechanism unique reliable and durable smooth drive.
- Oil-retaining bushings or bearing for smooth drive.
- Durable surface finish. Power-coated surface plus zinc-plating for longer corrosion resistance.



### RS-1022 Winch

#### Description

- Capacity: 3500Lbs.
- Gear ratio: 41 : 1.
- Hub Dia.: Ø 92mm.
- Size: 330mm x 230mm x 220mm.
- Net weight: 16kg.
- Cast worm with heat-treated gear make the mechanism unique reliable and durable smooth drive.
- Oil-retaining bushings or bearing for smooth drive.
- Durable surface finish. Power-coated surface plus zinc-plating for longer corrosion resistance.



### RS-1023 Winch

#### Description

- Capacity: 3600Lbs.
- Gear ratio: 65 : 1.
- Hub Dia.: Ø 72mm.
- Size: 260mm x 190mm x 320mm.
- Net weight: 20kg.
- Cast worm with heat-treated gear make the mechanism unique reliable and durable smooth drive.
- Oil-retaining bushings or bearing for smooth drive.
- Durable surface finish. Power-coated surface plus zinc-plating for longer corrosion resistance.

# Others



## RS-1101 1/2" X 1/2" Stainless Steel Elbows

### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Complete Stainless Steel body.
- Style :45° 60° ,75° ,90°



## RS-1102 3/4" X 3/4" Stainless Steel Elbows

### Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable.
- Complete Stainless Steel body.
- Style :45°



## RS-1103 1/2" X 3/4" Stainless Steel Elbows

### Description

- Use them for fixing the water pipe on the wall
- Made from Stainless steel material with injection machine
- Style :45°
- OEM is favorable



### RS-1104 Infrared Lamps

#### Description

- Hard glass.
- Water proof and anti-explosion.
- With vitric screws to ensure not the bottom not loose.
- Quality guaranteed.
- Color clear and red.
- 100W 150W 175W



### RS-1105 Infrared Lamps

#### Description

- Water proof and anti-explosion.
- With vitric screws to ensure not the bottom not loose.
- Quality guaranteed.
- Color clear and red.
- 150W 175W 250W



### RS-1106 Infrared Lamps

#### Description

- Water proof and anti-explosion.
- With vitric screws to ensure not the bottom not loose.
- Quality guaranteed.
- Roasted red.
- Color clear and red.
- 150W 175W 250W



### RS-1107 Ceramics Lamps

#### Description

- Material ceramics.
- With vitric screws to ensure not the bottom not loose.
- Quality guaranteed.
- Color white and black.
- 150W 175W 250W

**RS-1108 Sorting panel****Description**

- Designed to move animals with ease, it is light weight yet extremely durable.
- Rounded hand grips on the top and side make for easy handling.
- Choose from three different sizes or combine boards with our drop pin hinges

RS-11081 Small :46×76×3.15cm

RS-11082 Middle:94×76×3.15cm

RS-11083 Large:120×76×3.15cm

**RS-1109 Sorting Paddle****Description**

- Sorting paddle is quickly becoming a standard tool to aid in livestock handing
- With noise-making beads inside
- Light weight ,highly visible and noise
- Style : Short Handle
- Size:50.8×4.6×6.5cm

**RS-1110 Sorting Paddle****Description**

- Sorting paddle is quickly becoming a standard tool to aid in Livestock handing
- With noise-making beads inside
- Light weight ,highly visible and noise
- Style : Long Handle
- Size :105×35×3cm

**RS-1111 Playing Ball****Description**

- Diameter 20mm.

**RS-1112 Toy For Animal.****Description**

- Yellow star with chain.



### RS-1113 Quick Connector

#### Description

- Ball valve. Outer thread 1/4" , diameter 1/4" .
- Ball valve. Outer thread 3/8" , diameter 3/8" .



### RS-1114 Quick Connector

#### Description

- Outer screw thread 1/4" diameter 3/8"
- Outer screw thread 3/8" diameter 1/4"



### RS-1115 Quick Connector

#### Description

- Outer screw thread 3/8" diameter 3/8"
- Outer screw thread 1/2" diameter 1/4"



### RS-1116 Salt Shelf Holder.

#### Description

- Material PP.
- High quality and environmental polyethylene plastic for strength and long life.
- Used for cattle eating salt .
- Dimension :185 x 115 x 45mm
- Weight :121.6g ,package 100pieces/carton



### RS-1117 Cow Magnet

#### Description

- Non-toxic and non-corrosive.
- Help to prevent hardware disease.



### RS-1118 Stainless Steel Cow Magnet

#### Description

- Non-toxic and non-corrosive.
- Help to prevent hardware disease.
- Inner with strong magnet.
- Dia 1/2" x 3" length.



### RS-1120 Spring Weight Scale

#### Description

- Ideal weighing application: agriculture, hardware, fish, and general industrial needs
- Material: Metal body+PS mask+two hooks
- Dial material: clear steel dial with black lettering
- Size: 10kg 100kg 250kg



### RS-1122 PVC Boots

#### Description

- Comfortable, durable and protective safety boots.
- One-time injection technique.
- Acid proof.
- Textured bottom for anti-skidding.
- Different colors and sizes are available.



### RS-1119 Spring Hanging Scale

#### Description

- Material: Aluminum body+Stainless steel hooks+metal
- Large numbers on aluminum dial for fast, easy reading
- Size: 25kg 50kg 100kg 150kg 200kg



### RS-1121 PVC Boots

#### Description

- Comfortable, durable and protective safety boots.
- One-time injection technique.
- Flat bottom. Acid proof.
- Different colors and sizes are available.



### RS-1123 PVC Boots

#### Description

- Comfortable, durable and protective safety boots.
- One-time injection technique.
- Acid proof.
- Textured bottom for anti-skidding.
- Different colors and sizes are available.



### RS-1124 Shoe cleaner

#### Description

- Keep the mud and water off before going to the pig farm.
- Easy cleaning.
- Long life.



### RS-1126 Heating Plate

#### Description

- Material fiberglass.
- Voltage 220V. Power 110W.
- Specification: 1200mm × 400mm, 1200mm × 600mm



### RS-1128 Semen Catheter For Insemination Gun

#### Description

- The inner plug is fixed to the front end of sheath and both melted together.
- The front end is smooth round and with a small hole.
- The sheath is packed by plastic membrane and makes the sheath with double protection when doing the insemination.



### RS-1125 Oral Fluidfeeder

#### Description

- Easy to use single person application.
- Capacity 2 quart.
- Strong, flexible probe travels easily into esophagus and reduces Accidental trachea entry.
- Tube is on piece.
- Clean with warm, soapy water and allow to air dry.



### RS-1127 Calf Weaner

#### Description

- These anti-sucking devices impede calf's ability to suck.
- Virtually unbreakable, reusable plastic.
- Durable and easy to apply.



### RS-1129 Semen Gun

#### Description

- Artificial breeding gun of cattle semen.
- Made by high quality stainless steel.
- It can be used in straw semen AI and there are Specifications of 0.25ml, 0.5ml and universal.
- Its special is to lock sheath by a wire lock and easy to lock and unlock sheath.



### RS-1130 Heart-Shaped Sheep Shear

#### Description

- Made of high quality forged steel.
- Can also be used for cutting lawn edges and onions.
- Two sizes are available. Length 34cm and 29cm.



### RS-1132 Bull leaders

#### Description

- With and without chain.
- For quick and easy action in all conditions.
- Pliers are ally steel, length 20cm. Chain length is 40cm.



### RS-1134 Bloodless Castration Tools

#### Description

- High quality castration tools. For use only by experienced herdsmen or under the supervision of a veterinarian.
- Dimensions are length and jaw width.
- Supplied complete with service spanner.



### RS-1131 Hoof Knife Broad-bladed

#### Description

- Material stainless steel.
- Length of blades 80mm.
- RS-11311 Right hand
- RS-11312 Left hand
- RS-11313 Double cut



### RS-1133 Bull Rings

#### Description

- Made of stainless steel.
- Long lasting, totally proven in use.
- Thumbscrew-type locking pin, broken off when tight.
- Reveals cross-slot for screw driver.



### RS-1135 Pig Holder

#### Description

- T shape handle.
- Made of Stainless steel pipe.
- Professional locker design, easy for operation.



### RS-1136 Rubber Buckets

#### Description

- Woks great for grain, salt, mineral and water.
- Color is black.
- Safe and soft rubber.
- Reinforced rim.
- A general purpose pan.



### RS-1137 Flex Buckets

#### Description

- Flex buckests are designed to withstand the toughest conditions and for multipurpose uses in the home, barn, and jobsite.
- Customized color, shape and size are available.